ALLIANCE FOR CLINICAL TRIALS IN ONCOLOGY	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
	Post-Surgical Single Fraction Stereotactic	Replaces:	Page
	Radiosurgery (SRS) Compared with	1.3	1 of 11
	Fractionated SRS (FSRS) for Resected	1.5	10111
	Metastatic Brain Disease		
	Short Title- A071801		

CORRELATIVE SCIENCE PROCEDURE MANUAL

1. Purpose

This document describes the procedures required for the collection, shipping, and processing of biospecimens that are being submitted for patients enrolled or registered on A071801. This document also describes the procedures that will be followed subsequent to the receipt of biospecimens by the Alliance Biorepository at Mayo Clinic (ABMAYO) prior to their use for protocol-specified and future, unspecified correlative science research studies. This document should be used by staff involved with any aspect of the A071801 biospecimen collection, processing, and submission, including staff at satellite institutions.

2. Scope

This document applies to all biospecimens collected specifically for the A071801 clinical trial study. Please refer to the trial protocol-specific language for additional details regarding eligibility, participant enrollment, and data submission. Please ensure that you are reading the most updated version of this document. This document may experience minor updates, revisions, and clarifications independent of a formal protocol amendment. The most recent version of this document may be found on the Alliance website and CTSU.

3. Definitions

Term	Definition
ABMAYO	Alliance Biorepository at Mayo Clinic
FFPE	Formalin fixed, paraffin embedded

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Replaces:	Page
TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with	'	O .
	Fractionated SRS (FSRS) for Resected	1.3	2 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

4. Contact Information

- **4.1** For questions and problems related to protocol administration, eligibility, patient registration, and data submission, relevant contact information is listed on protocol pages 1 and 2.
- 4.2 For information on using the BioMS system, please refer to the 'Help' links on the BioMS webpage to access the on-line user manual, FAQs, and training videos. To report technical problems, such as login issues or application errors, please contact: 1-855-55-BIOMS or bioms@alliancenctn.org. For assistance in using the application or questions or problems related to specific specimen logging, please contact: 1-855-55-BIOMS or bioms@alliancenctn.org.
- **4.3** For all other questions regarding biospecimen procurement and shipping procedures, please contact:

ABMAYO

Paraffin-embedded tissue samples:

Amanda Sand

Phone: 1-507-284-3559

Email: sand.amanda@mayo.edu

Blood samples:
 Dr. Paola Ramos

Phone: 1-507-284-1156

Email: ramos.paola@mayo.edu

5. Site Preparation

- **5.1** Please refer to A071801 protocol document for any specific requirements related to patient enrollment, registration, and regulatory compliance.
- 5.2 Please ensure that you have the appropriate log-in credentials and can successfully access the BioMS application. The BioMS application is used for both requesting biospecimen collection kits and for logging the collection and shipment of biospecimens to the Alliance Biorepository at Mayo Clinic. For training and assistance in using the application or questions or problems related to specific specimen logging, please contact: 1-855-55-BIOMS or bioms@alliancenctn.org.
- **5.3** Prior to collection of whole blood specimens in EDTA or Streck BCT tubes, a biospecimen collection kit must be at the collection site. Please see section 7 for requesting biospecimen collection kits. Please allow at least 10 working days to receive the collection kit.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Replaces:	Page
TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with		O .
	Fractionated SRS (FSRS) for Resected	1.3	3 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

6. Collection Schema

The following biospecimens are to be collected at each of the time points listed in the table below. Please refer to individual collection kit instructions, biospecimen collection and processing methods, and specific shipping procedures that are detailed in this manual.

Time Point	Kit (Y/N)	Biospecimen	Quantity	Collection / Processing Method	Shipping	Recipient	Notes
≤ 120 days after registration	N	Fixed tissue block	1	Fixed tissue block + H&E stained slide for tissue QA (9.2)	Ambient	ABMAYO-FFPE Tissue (11.2)	1, 2, 3
120 days after registration	N	Unstained tumor tissue slides	20	Unstained tissue slides + H&E stained slide for tissue QA (9.3)	Ambient	ABMAYO-FFPE Tissue (11.2)	1, 2, 3
120 days after registration	Y	Whole blood (EDTA tube)	1 x 10 ml	Whole blood (10.1)	Refrigerated	ABMAYO-BAP Freezer (11.3)	1
≤ 120 days after registration	Y	Whole blood (Streck BCT tube)	2 x 10 ml	Plasma for cfDNA (10.2)	Ambient	ABMAYO-BAP Freezer (11.3)	1
3 months post Radiosurgery	Y	Whole blood (Streck BCT tube)	2 x 10 ml	Plasma for cfDNA (10.2)	Ambient	ABMAYO-BAP Freezer (11.3)	1
6 months post Radiosurgery	Y	Whole blood (Streck BCT tube)	2 x 10 ml	Plasma for cfDNA (10.2)	Ambient	ABMAYO-BAP Freezer (11.3)	1
9 months post Radiosurgery	Y	Whole blood (Streck BCT tube)	2 x 10 ml	Plasma for cfDNA (10.2)	Ambient	ABMAYO-BAP Freezer (11.3)	1
12 months post Radiosurgery	Y	Whole blood (Streck BCT tube)	2 x 10 ml	Plasma for cfDNA (10.2)	Ambient	ABMAYO-BAP Freezer (11.3)	1
Progression	Υ	Whole blood (Streck BCT tube)	2 x 10 ml	Plasma for cfDNA (10.2)	Ambient	ABMAYO-BAP Freezer (11.3)	1, 4

Notes:

- 1. Collection is optional for patients, but all sites are required to offer to patients to consent. Please see protocol-specific consent documents.
- 2. Tissue samples should be submitted within 120 days after registration if surgery or biopsy were prior to registration. If patient undergoes a surgery or biopsy during the trial, tumor tissue samples should be submitted within 90 days of the procedure.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Donlasses	Daga
TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with	Replaces:	Page 4 of 11
	Fractionated SRS (FSRS) for Resected	1.3	4 01 11
	Metastatic Brain Disease		
	Short Title- A071801		

- 3. A paraffin tissue block from any primary, recurrent, or metastatic tumor (intracranial and/or extracranial) <u>OR</u> 20 unstained slides @ 10 micron thickness from such block should be submitted for patients opting in for A071801 biobanking. Intracranial tissue should be prioritized if available. If fewer than 20 unstained slides can be submitted, please submit as many as possible (up to 20 slides). A H&E stained slide should accompany the block or unstained slides. If submitting unstained slides, the H&E stained slide should be from the same block where the unstained slides were cut from.
- 4. Progression samples may be collected and submitted up to 3 months after progression of intracranial disease.

7. Biospecimen Collection Kits

7.1 Blood Specimens

- 7.1.1 To facilitate the proper collection and shipping of whole blood specimens, biospecimen collection kits and materials will be provided. The cost of the kit and shipping the kit to the site will be paid for. The institution is expected to pay for shipping the kit with the biospecimens back to ABMAYO via priority overnight shipping. NOTE: Kits will be sent via FedEx Ground at no additional cost to the participating institutions. Kits will not be sent via rush delivery service unless the participating institution provides their own FedEx account number or alternate billing number for express service. The study will not cover the cost for rush delivery of kits.
- 7.1.2 Kits should be requested at least 10 working days in advance of the anticipated collection date. As many as 3 kits can be requested at one time. Since the collection materials (vacutainer tubes) have expiration dates, do not request kits more than 90 days prior to their anticipated use. All kits must be requested by using the BioMS system.
- **7.1.3** Kit contents and specific instructions for use of the kit are provided in the kit box.
- **7.1.4** Well in advance of collecting biospecimens, inspect the biospecimen collection kit to ensure that all components are present and not expired, particularly if the kit has been onsite for longer than 30 days.
- **7.1.5** If a biospecimen collection component (e.g. vacutainer collection tube) is missing, damaged, or expired, the institution may substitute a like-kind collection tube from their own supply. However, note that some kit components are highly specialized (e.g. Streck BCT) and probably are not available at the institution.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Replaces:	Daga
TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with		Page 5 of 11
	Fractionated SRS (FSRS) for Resected	1.3	2 01 11
	Metastatic Brain Disease		
	Short Title- A071801		

7.1.6 Note that protocol requirements are based on blood volumes, not tube sizes. If the protocol requires the collection of 8 cc of whole blood, generally a 10 cc tube is provided in the kit for convenience. If desirable or necessary to collect 8 cc in 3 x 3 cc tubes (for example), that is permissible.

7.2 Tissue Specimens

- **7.2.1** There is no independent "kit" for submission of paraffin blocks or slides.
- **7.2.2** Blocks and slides should be packaged to avoid breakage using a padded envelope or, preferably, a small Styrofoam container.
- **7.2.3** During warm weather months, paraffin blocks and slides should be shipped in an insulated container that contains a refrigerant pack, to avoid heat > 25 degrees C (77 degrees F) that may melt paraffin and damage the tissue specimens.
- **7.2.4** Please see **Section 11 Biospecimen Shipping** for specific instructions on shipping to ABMAYO.

8. Biospecimen Labeling and Tracking

- **8.1** All research biospecimens, **with exception of** surgical pathology blocks and tissue slides, MUST be labeled with the Alliance study number, Alliance patient ID number, patient initials (Last, First, Middle), the date and time (if applicable) of collection and specimen type. Specimen labels must match BioMS records.
- 8.2 Surgical pathology tissue recuts should be labeled according to institutional standards, including the surgical pathology number (e.g. "S16-1234") and the individual block identifier (e.g. "A3"). Provide a de-identified copy of the surgical pathology report, labeled with the patient study number, corresponding to the blocks or slides submitted. Usually, this is generated by obscuring all PHI (names and dates) with white-out or a black magic marker, labeling each page of the report with the Alliance patient ID, and photocopying the report. However, please make sure to maintain the pathology accession numbers so the submitted slides can be matched directly to the pathology report. A copy of the de-identified pathology report is required for each and every tissue submission.
- **8.3** Label all containers and vials with an indelible, solvent-resistant marker when they are at ambient temperature.
- **8.4 Do not affix any labels to vials, slides or tubes.** Label the collection containers directly with the marking pen.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Danlassa	Daga
ALLIANCE FOR CLINICAL TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with	Replaces:	Page
	Fractionated SRS (FSRS) for Resected	1.3	6 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

- 8.5 All biospecimens that are collected and sent to ABMAYO must be logged and tracked in BioMS under A071801. Do not send samples to the Biorepository in which the patient has not been registered onto the study. The BioMS system is a web-based application that tracks the collection and shipping of biospecimens. Once individual biospecimens are logged and 'shipped' in the BioMS system, a packing manifest will be created by the system. This manifest must be printed out and must accompany all biospecimen shipments. To become familiar with the BioMS system and for further information about training, access, and use, please contact the BioMS Help desk at: 1-855-55-BIOMS or bioms@alliancenctn.org.
- **8.6** In the event that BioMS cannot be accessed, please complete a BioMS Specimen Log and Shipping Manifest form which can be found here- http://tinyurl.com/alliance-bioms-contingency.

9. Tissue Collection

9.1 Overview.

- **9.1.1** Please refer to protocol-specific instructions for procedures related to actual tissue procurement from individual participants. The method for research tissue procurement (needle core biopsy, sampling of surgically resected tumor) is dependent upon the disease site and the individual patient.
- 9.1.2 When procuring tissue biospecimens by any method, when possible, avoid tissue that is grossly necrotic, hemorrhagic, fatty, or fibrous. If in doubt, briefly (1 min or less) place the tissue segment in a sterile specimen cup containing physiologic (normal) saline to rinse the tissue. Necrotic, hemorrhagic, and fatty tissue will generally dissolve or float on the surface while tumor and parenchymal tissue will remain intact and sink to the bottom of the cup.

9.2 Diagnostic Pathology Fixed Tissue Blocks

9.2.1 For patients who consented to A071801 biobanking for future research, a representative diagnostic block from any primary, recurrent, or metastatic (intracranial and/or extracranial) tumor should be submitted, if applicable. Intracranial tissue should be prioritized if available. A H&E stained slide prepared from the block should also be submitted for tissue QA.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Donlasses	Daga
TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with	Replaces:	Page
	Fractionated SRS (FSRS) for Resected	1.3	7 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

- 9.2.2 Any clinical surgical pathology block that is submitted for research studies will not be exhausted or rendered unsuitable for future diagnostic use. Any clinical surgical pathology block that is submitted will be returned within ten working days of written request, when needed for clinical management or clinical trial enrollment for a specific patient. Otherwise, all blocks will be returned to the submitting institution when the trial and correlative science study end points have been met.
- **9.2.3** Include a copy of a de-identified pathology report, labeled only with the patient study number with all block submissions.

9.3 Unstained Tissue Slides


9.3.1 In cases where an institution is unwilling or unable to submit the requested tissue block, a set of twenty (20) unstained tumor tissue slides can be submitted as an alternative. An H&E stained slide should accompany unstained slides. The H&E stained slide should be from the same block where the unstained slides were cut from. If fewer than 20 unstained slides can be submitted, please submit as many as possible (up to 20 slides). Please follow the procedures below for submitting unstained tissue slides. If your pathology department is unwilling or unable to follow these tissue-sectioning instructions, please consider submission of a tissue block, which can be cut at the biorepository and returned to your institution at a later date.

# of slides	Section thickness	Slide type	Purpose
20	10 microns	Non-Charged	DNA / RNA

- **9.3.2** Serial tissue sections should be cut fresh from the appropriate formalin fixed, paraffin embedded tissue block.
- **9.3.3** Cut sections at 10 micron thickness as indicated onto non-charged slides.
- **9.3.4** Ensure that each slide is labeled with the Alliance study number (A071801), Alliance patient ID number, surgical pathology number (SPN) and institutional block ID, slide serial section number (1, 2, 3, etc.), and thickness (10 microns). Please make sure to **maintain the pathology accession numbers** so the submitted slides can be matched directly to the pathology report.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Davida	D
ALLIANCE FOR CLINICAL TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with	Replaces:	Page
	Fractionated SRS (FSRS) for Resected	1.3	8 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

- **9.3.5** Do not label slides with adhesive labels. Write or print information on the textured surface of the slide with indelible, solvent-resistant ink.
- **9.3.6** No adhesives or other additives should be used in the water bath.
- **9.3.7** Mount only one tissue section per slide. Make certain sections are placed on the painted / textured side of the slide.
- **9.3.8** When placing the sections onto the slides, ensure that the tissue is placed on the bottom third of the slide. Ensure that each serial section from the block is placed in the same orientation on each slide.
- **9.3.9** See figure below for proper mounting and labeling.
- **9.3.10** Air dry slides for 12-24 hours prior to shipping. Do not oven dry slides.
- **9.3.11** Use slide mailers or a slide box to ship unstained slides. Slides should not be touching each other. Ensure that slides from only one patient are placed in one slide mailer.



10. Blood Collection Methods

10.1 Whole blood (EDTA Tube- no processing)

10.1.1 Collect 10 ml of blood into the EDTA tube using standard venous phlebotomy. Invert tube 10 times.

	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
ALLIANCE FOR CLINICAL	Post-Surgical Single Fraction Stereotactic	Davida	D
ALLIANCE FOR CLINICAL TRIALS IN ONCOLOGY	Radiosurgery (SRS) Compared with	Replaces:	Page
	Fractionated SRS (FSRS) for Resected	1.3	9 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

10.1.2 Store EDTA tube with whole blood at 4 degrees Celsius (i.e. refrigerated) until shipping. Do not freeze the tube. The tube may be stored for up to 72 hours at refrigerated temperature before shipment. If blood must be collected on Friday, it can be shipped on Friday for Saturday delivery. Ensure that the EDTA tube is shipped with a refrigerant pack to ensure proper temperature and to avoid freezing.

10.2 Whole blood for Plasma Nucleic Acid (Streck Tube- no processing)

- **10.2.1** Collect 10 ml of blood into each of the Streck BCT tubes using standard venous phlebotomy. Invert tubes 10 times.
- 10.2.2 Store Streck tubes with whole blood at room temperature. Do not freeze or refrigerate the tubes. The tubes may be stored for up to 72 hours at ambient temperature before shipment. If blood must be collected on Friday, it can be shipped on Friday for Saturday delivery. Ensure that the Streck tubes are shipped at ambient temperature to avoid freezing.

11. Biospecimen Shipping

11.1 Overview

- **11.1.1** Please see the instruction document that is included in each kit for specific directions on how to package and ship biospecimens.
- 11.1.2 Place the original, completed copy of the BioMS packing manifest in the shipment. If sending tissue, include a de-identified copy of the surgical pathology report labeled with the Alliance patient ID number. Do not send specimens without a completed BioMS Packing Manifest or substitute "BioMS Downtime Form." Biospecimens cannot be accepted without this completed form.
- 11.1.3 All biospecimens collected on the study should be shipped on the same day that they are collected. Biospecimens must be received by the recipient lab within 24 hours of collection. If biospecimens cannot be shipped on the same day they are collected, please contact appropriate personnel listed in section 4.3 for further instructions, at least 24 hours prior to anticipated collection.

ALLIANCE FOR CLINICAL TRIALS IN ONCOLOGY	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
	Post-Surgical Single Fraction Stereotactic	Replaces:	Dago
	Radiosurgery (SRS) Compared with	'	Page
	Fractionated SRS (FSRS) for Resected	1.3	10 of 11
	Metastatic Brain Disease		
	Short Title- A071801		

11.2 Shipping to ABMAYO- FFPE Tissue

11.2.1 Ship container for PRIORITY OVERNIGHT DELIVERY according to IATA guidelines and standard institutional policies and using the preferred vendor. Ship specimens to ABMAYO on Monday through Friday only. Do not ship on Saturdays or on the day before a national holiday.

Ship to:

Alliance Biorepository at Mayo Clinic- FFPE Tissue

Attn: PC Office (Study A071801)

RO-FF-03-24-CC/NW Clinic

200 First Street Southwest

Rochester, MN 55905 Phone: 507-266-0724

11.3 Shipping to ABMAYO- BAP Freezer (for Blood Samples)

11.3.1 Ship container for PRIORITY OVERNIGHT DELIVERY according to IATA guidelines and standard institutional policies and using the preferred vendor. Ship specimens to ABMAYO on Monday through Friday only. Do not ship on Saturdays or on the day before a national holiday.

Ship to:

Alliance Biorepository at Mayo Clinic- BAP Freezer

ST-SL-16

150 Third Street SW

Rochester, MN 55902

Phone: 507-538-0602

12. ABMAYO Biospecimen Receipt and Quality Assurance Measures

- **12.1** All biospecimens sent to ABMAYO will be accessioned into the informatics system BioMS, at ABMAYO Research Laboratory Information Management System (RLIMS) which interfaces with BioMS.
- **12.2** All biospecimens received at the ABMAYO will be logged, associated, and tracked by the patient study ID number.

ALLIANCE FOR CLINICAL TRIALS IN ONCOLOGY	CORRELATIVE SCIENCE PROCEDURE MANUAL	Version No:	Effective Date:
	Biospecimen Collection for Phase III Trial of	1.4	01/15/2024
	Post-Surgical Single Fraction Stereotactic	Replaces:	Dago
	Radiosurgery (SRS) Compared with	1.3	Page 11 of 11
	Fractionated SRS (FSRS) for Resected	1.5	11 01 11
	Metastatic Brain Disease		
	Short Title- A071801		

- **12.3** Upon receipt, all physical biospecimens received will be reconciled with what is recorded on the BioMS packing manifest. Any discrepancies noted will be communicated to submitting site for reconciliation.
- **12.4** Upon receipt, any biospecimen received that is not in appropriate physical condition (broken vials, frozen samples that are thawed, ambient samples that are frozen) will be reported to the Program Manager, who will contact the submitting site for reconciliation.
- **12.5** All biospecimens submitted to ABMAYO will remain in storage until exhausted. In the event the patient withdraws consent, the specimens will be disposed/returned according to Alliance Policy and Procedure Chapter 11.

13. Document History

Version	Description and Justification of Change	Author	Effective Date
1.4	Updated ABMAYO contact info	KL	01/15/2024
1.3	Updated contact information for Mayo	PAA	08/12/2021
1.2	Updated contact information for Mayo	PAA	08/18/2020
1.1	Revised requirement for unstained slides	PAA	09/20/2019
1.0	New	PAA	09/10/2019